	Application No.	Applicant(s)
	Application No.	Applicant(s)
Nation of Allamability	10/658,849	UMEZAWA ET AL.
Notice of Allowability	Examiner	Art Unit
	Quana M. Grainger	2852
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>4-27-2007</u> .		
2. The allowed claim(s) is/are <u>1-10,14-20,35,37-39 and 45-54.</u>		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a))		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5. Notice of Informal P	totant Application
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 	 5. ☐ Notice of Informal P 6. ☐ Interview Summary 	
	Paper No./Mail Dat 7. Examiner's Amendr	e
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>6-22-2007</u> 		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allowance
	9.	

Application/Control Number: 10/658,849

Art Unit: 2852

REASONS FOR ALLOWANCE

- 1. The following is an examiner's statement of reasons for allowance.
- The claims are allowable over the prior art of record because the prior art of record does 2. not teach or suggest a toner bottle for use with an image forming apparatus to supply toner to the image forming apparatus when the toner bottle is rotated by the image forming apparatus, the image forming apparatus having a sensor that senses the toner bottle, comprising: an elongated cylindrical bottle body that houses toner, the bottle body having an edge portion and an end portion, the end portion being positioned opposite to the edge portion in an axial direction along the bottle body, and a groove extending around the outer surface of the bottle body and extending between adjacent the edge portion and adjacent the end portion; a toner discharge port provided on the bottle body adjacent the edge portion, the toner being discharged from the discharge port when the toner moves toward the edge portion during toner bottle rotation; and a rib having a predetermined length, the rib being provided on the outer surface of the bottle body, the rib adapted to be sensed by the sensor in the image forming apparatus during toner bottle rotation in order to judge whether the rib exists at a predetermined position and extends for a predetermined ratio on the outer surface of the bottle body, to thereby discriminate toner bottle type and a method of discriminating toner bottle types comprising a rib (object) sensing step of rotating a toner bottle, sensing a rib (object) to be sensed formed on an outer surface of said toner bottle and, if said rib (object) is not sensed, outputting information indicating abnormality; and the ratio discrimination step of checking, if said rib (object) is sensed, whether said rib (object) is formed at a predetermined ratio on the outer surface of said toner bottle, outputting information

Application/Control Number: 10/658,849

Art Unit: 2852

indicating abnormality if said rib (object) is not formed at the predetermined ratio, and outputting information indicating normality if said rib (object) is formed at the predetermined ratio. The teaching or suggestion of obtaining a ratio of a rib or object on the outer surface and determining if this ratio is a predetermined ratio is not found in the prior art.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Information Disclosure Statement

4. The information disclosure statement (IDS) submitted on 6-22-2007 was considered by the examiner.

Prior Art

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Kasamura et al., Taniyama et al., Niizawa teaches pertinent toner bottles.

Contact Information

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Quana M. Grainger whose telephone number is 571-272-2135. The examiner can normally be reached on 8am-6pm.

Art Unit: 2852

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Gray can be reached on 571-272-2119. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Quana M Grainger Primary Examiner Art Unit 2852